


NOTES:


1. LEAK TEST: 5,000 PSI, NO BUBBLES 2 MINUTES MINIMUM. ONLY FIBERS IN PT-8 HOUSING TESTED THEN ASSEMBLED IN TUBE.
2. TUBE AND SWAGELOK FITTING RATED TO 5000 PSI.
3. OPTICAL CONTINUITY TEST, PART MUST CONTAIN 10 MINIMUM FIBERS WITH OPTICAL CONTINUITY AFTER ASSEMBLED IN TUBE.
4. ALL TESTS ARE PERFORMED AT ROOM TEMPERATURE.
5. ALL PARTS MUST PASS ALL TESTS.
6. FIBER POSITIONING IS APPROXIMATE & VARIABLE.
7. VOIDS SMALLER THAN $\phi 0.035$ ARE ACCEPTABLE ON ALL OTHER SURFACES.
8. REF-OPERATING TEMPERATURE -20°C TO 200°C.
9. DIMENSIONS ARE INCHES [MILLIMETERS].

7	A/R	PAVE-Seal 200	EPOXY BLACK
6	12	LXSIX TUBING	TUBING .012ID .030OD TEFLON
5	12	LXSIX FIBER	FIBER SINGLE MODE 9/125/155 POLYIMIDE
4	1	0346	HOUSING PT-8 SS
3	1	SS-400-7-8	SWAGELOK 1/4 PIPE TO 1/2 FEMALE NPT
2	1	SS-400-7-4	SWAGELOK 1/4 PIPE TO 1/4 FEMALE NPT
1	1	3236	TUBING .25" OD 1M LONG 5000 PSI SS
ITEM	QTY	PART NUMBER	DESCRIPTION


 2751 Thunderhawk Court
 Dayton, OH 45414-3445
 U.S.A.
 tel (937) 890-1100
 fax (937) 8905165
 www.pavetechnologyco.com

DESCRIPTION
 SO12L-SS-200-10-SMFO-2-2m

PART NUMBER
3214

REVISION LEVEL -
 PROJECTION 

ALL DIMENSIONS AND TOLERANCES APPLY TO FINISHED PART IN INCHES.
 ALLOWABLE TOLERANCES UNLESS SPECIFIED OTHERWISE: NONE ± 0.5
 X.X DECIMAL ± 0.1 X.XX DECIMAL ± 0.02 X.XXX DECIMAL ± 0.005
 ANGLES ± 1 DEGREE SURFACE FINISH 128 microinch RMS