



NOTES:

1. LEAK TEST: 80 PSI, NO BUBBLES 2 MINUTES MINIMUM.
2. HYPOT 630 VDC 500 MΩ 0.01 SEC MINIMUM, WIRE TO WIRE & HOUSING.
3. ALL TESTS ARE PERFORMED AT ROOM TEMPERATURE.
4. ALL PARTS MUST PASS ALL TESTS.
5. WIRE POSITIONING IS APPROXIMATE AND VARIABLE.
6. NO VOIDS LARGER THAN $\varnothing 0.035$ ARE ACCEPTABLE.

7	1	EE18 MIL ORANGE	WIRE 18EE MIL-W-16878/5 .015 7/#26
6	1	EE18 MIL BLK	WIRE 18EE MIL-W-16878/5 .015 7/#26
5	1	EE14 WHITE	WIRE 14EE MIL-W-16878/5 19/#27 .017
4	1	EE14 RED	WIRE 14EE MIL-W-16878/5 19/#27 .017
3	1	EE14 GRN/YEL	WIRE 14EE MIL-W-16878/5 19/#27 .017
2	A/R	PAVE-Seal 150	EPOXY BLACK
1	1	0346	HOUSING PT8-SS
ITEM	QTY	PART#	DESCRIPTION

ALL DIMENSIONS AND TOLERANCES APPLY TO FINISHED PART IN INCHES
 ALLOWABLE TOLERANCES UNLESS SPECIFIED OTHERWISE: NONE +/-0.5
 .X DECIMAL +/- 0.1 .XX DECIMAL +/- 0.02 .XXX DECIMAL +/-0.005
 ANGLES +/- 1 DEG SURFACE FINISH 128 microinch RMS

2751 Thunderhawk Court
 Dayton, Ohio 45414-3445
 U.S.A.
 (937)890-1100
 Fax (937)890-5165
 www.pavetechnologyco.com

DESCRIPTION
PT8-SS-150-3/2-TEE14/18-18-12

PART NUMBER
1446

REVISION LEVEL
D
 PROJECTION